


TimberSIL[®] Product Lines: Choose From Over 200 Products

TimberSIL[®] GlassWood Fusion; Class A Fire Retardant


- Siding: Traditional profiles in 4, 6, 8 inch widths
 - Beveled
 - Droplap
 - Tongue & Groove
 - Shiplap (custom order)
 - Profiles above follow the recommendations of Steve Mouzan, New Urban Guild
 - Also immediately available:
 - Flat
 - Board & batten vertical siding
 - Best price: beveled profile, 8 inch width
- Tongue & Groove Flooring:
 - 4, 6, 8, and 10 inch widths
- Ancillary Materials:
 - Balusters, 2"x2"
 - Rails
 - Boards for stringers, treads, risers
 - Posts
 - Structural lumber
 - Trim
- Shingles for roofing and siding (custom order)



TimberSIL[®] Product Lines: Choose From a Wide Selection

TimberSIL[®] Glass Wood Fusion; Class A Fire Retardant

- TimberSIL[®] product line includes more than 200 products
 - Available in standard widths and lengths
- Deck products:
 - 5/4 deck boards, #1 prime, lengths 8-16 ft
 - 1x boards for rails, trim, lengths 8-16 ft
 - Boards for stringers, treads, risers
 - Posts and structural lumber, above
- Lumber for trim, framing, structural support, choose from:
 - Grades (quality standards): dense, #1 prime, clear & better. #2 and lower grades also available for selected uses
 - Depths (thickness): 1 inch to 8 inch
 - Widths: 2 inches to 12 inches
 - Lengths: 8 ft to 16 ft, shorter lengths for balusters
- Marine pilings and boardwalks
 - Diameters: 6 inches to 12 inches
 - Lengths: 8 feet to 40 feet, 2 ft increments
 - Decking materials: 5/4, 2 inch, 3 inch thickness
- Wooden bridges
 - Select from larger dimensions of structural products
- Fencing products
 - Select lower grades for posts and rails
 - Round posts and half round posts




TimberSIL® Product Selection And Planning Guide



Siding: profiles	face widths std" (actual")	thickness	lengths (ft)	Indicate selections	insert # sq ft surface area	or # linear feet
beveled	4" (3.5 inches)	1/8" - 9/16" taper	random			
	6" (5.5 inches)	1/8" - 9/16" taper	random			
best value	8" (7.5 inches)	1/8" - 9/16" taper	random			
droplap	4" (3.5 inches)	0.75	random			
	6" (5.5 inches)	0.75	random			
	8" (7.5 inches)	0.75	random			
tongue & groove	4" (3.5 inches)	0.75	random			
	6" (5.5 inches)	0.75	random			
	8" (7.5 inches)	0.75	random			
shiplap (special order)	4" (3.5 inches)	0.75	random			
	6" (5.5 inches)	0.75	random			
	8" (7.5 inches)	0.75	random			
flat (also board & batten)	4" (3.5 inches)	0.75	random			
	6" (5.5 inches)	0.75	random			
	8" (7.5 inches)	0.75	random			

tongue & groove flooring thickness	Indicate selections	enter # of boards
1" 4"	8	
	10	
	12	
	14	
	16	
1" 6"	8	
	10	
	12	
	14	
	16	
1" 8"	8	
	10	
	12	
	14	
	16	
2" 4"	8	
	10	
	12	
	14	
	16	
2" 6"	8	
	10	
	12	
	14	
	16	

Decking boards thickness	lengths (ft)	Indicate selections	enter # of boards
5/4 4"	8		
	10		
	12		
	14		
	16		
5/4 6"	8		
	10		
	12		
	14		
	16		
Rounded: 2" 6"	8		
	10		
	12		
	14		
	16		
2" 8"	8		
	10		
	12		
	14		
	16		



shingles	width	lengths (in)	Indicate selections	enter # of squares
(custom order) southern yellow pine	assorted	18		
	assorted	24		
	cedar	18		
	assorted	24		
shakes southern yellow pine	assorted	18		
	assorted	24		
	(custom order) cedar	18		
	assorted	24		

Dimensional lumber: suggestions	thickness	width	length (ft)	Indicate selections	enter # of boards
			8		
siding	1"	4"	10		
trim			12		
rails			14		
			16		
	1"	6"	8		
			10		
			12		
			14		
			16		
	1"	8"	8		
			10		
			12		
			14		
			16		
balusters	2"	2"	3		
			8		
			8		
framing, structural materials	2"	4"	10		
			12		
			14		
			16		
decking flooring	2"	6"	8		
			10		
			12		
			14		
			16		
	2"	8"	8		
			10		
			12		
			14		
			16		
	2"	10"	8		
			10		
			12		
			14		
			16		
			20		
			24		
			28		
			32		
			36		
			40		
	2"	12"	8		
			10		
			12		
			14		
			16		
boardwalk surface	3"	8"	8		
			12		
			16		
	3"	12"	8		
			12		
			16		
posts supports	4"	4"	8		
			12		
			16		
	4"	6"	8		
			12		
			16		
	6"	6"	8		
			12		
			16		
	8"	8"	8		
			12		
			16		
	12"	12"	8		
			12		
			16		

Pilings: diameter	lengths (ft)	Indicate selections	enter # of pilings
	8		
6"	10		
	12		
	14		
	16		
	20		
	24		
	28		
	32		
	36		
	40		
8"	8		
	10		
	12		
	14		
	16		
	20		
	24		
	28		
	32		
	36		
	40		
10"	8		
	10		
	12		
	14		
	16		
	20		
	24		
	28		
	32		
	36		
	40		
12"	8		
	10		
	12		
	14		
	16		
	20		
	24		
	28		
	32		
	36		
	40		

Poles: shape	lengths diameter (ft)	Indicate selections	enter # of poles
	8		
round	4"	10	
		12	
		14	
		16	
	6"	8	
		10	
		12	
		14	
		16	
	8"	8	
		10	
		12	
		14	
		16	
half- round	4"	8	
		10	
		12	
		14	
		16	
	6"	8	
		10	
		12	
		14	
		16	
	8"	8	
		10	
		12	
		14	
		16	

Fencing rails	grades dimension	lengths (ft)	Indicate selections	enter # of rails
poles	1x6	16		
	Select poles above			

